
ROLLING GRILLES

VISIONAIRE[®] MICROCOIL[®] GRILLE

Models ESG10C & ESG12C

MEASURE THE WIDTH AND HEIGHT OF THE OPENING


DOOR SIZE AND AREA




COMPONENT DIMENSIONS

А	В	С	D	Е
10 ¹ /2"	14 ¹ /2"			5″
10 ³ /4"	14 ³ /4″			
11″	15″	FOW = 6" BJ = 6"	FOW = $6 \frac{1}{2''}$ BJ = $6 \frac{1}{2''}$	
11 ¹ /2″	15 ¹ /4″	55 – 0	05 - 0 72	
11 ³ /4"	15 ³/4″			

Dimensions provided are for stainless steel and aluminum curtains.





CURTAIN DESIGNS

		 1	 		
1		1			
		1			
[
1		5			

Straight

Brick

The dimensions featured on this sheet are provided as a rough guide for planning purposes. Exact dimensions cannot be provided until field conditions and all options are confirmed. Once field conditions are confirmed, please visit our website at www.cooksondoor.com/drawings to generate custom drawings on demand for your specific opening.




FACE OF WALL GUIDE CONSTRUCTION OPTIONS

STAINLESS STEEL


Z GUIDE

Typically used with masonry wall construction, guides are mounted to the interior or exterior side of the wall.





E GUIDE

Typically used with steel jambs, guides are mounted to the interior or exterior side of the wall.



Z GUIDE TO TUBE






COOKSON

800.294.4358 **cooksondoor.com** CornellCookson, LLC is an ISO 9001:2015 registered company

CornellCookson, LLC is an ISO 9001:2015 registered company 3.2022

FACE OF WALL GUIDE CONSTRUCTION OPTIONS

ALUMINUM



WALL ANGLE

BRACKET PLATE

COOKSON

Д

DISTANCE BETWEEN GUIDES

GUIDE

SANTOPRENE WEAR STRIP

BRACKET PLATE-

OVERALL GUIDE DIMENSION = 3 1/2"

800.294.4358 cooksondoor.com CornellCookson, LLC is an ISO 9001:2015 registered company

Ω

Ŧ

SANTOPRENE WEAR STRIP

OVERALL GUIDE DIMENSION = 6"

GUIDE


3.2022

DISTANCE BETWEEN GUIDES

BETWEEN JAMBS GUIDE CONSTRUCTION OPTIONS

ALUMINUM

STAINLESS STEEL



The dimensions featured on this sheet are provided as a rough guide for planning purposes. Exact dimensions cannot be provided until field conditions and all options are confirmed. Once field conditions are confirmed, please visit our website at www.cooksondoor.com/drawings to generate custom drawings on demand for your specific opening.

CUSTOM-DESIGNED SOLUTIONS

Our experienced Architectural Design Support Team can customize our products to fit your specific application.

♦ 877.537.4567 arch@cornellcookson.com

